

TRANSLATION

(1) **EU-Type Examination Certificate**
according to Module B Paragraph 6.1 of PPE Regulation (EU) 2016/425

- (2) Regulation of the European Parliament and of the Council of 9 March 2016 relating to personal protective equipment (PPE) - Regulation (EU) 2016/425
- (3) No. of EU-Type Examination Certificate: **ZP/B160/19 R2**
- (4) Product: **Guided-type fall arrester including a rigid anchor line**
Type: **HACA-Fallschutz**
- (5) Manufacturer: **Lorenz Hasenbach GmbH & Co. KG**
Dieselstraße 12, 65520 Bad Camberg, Germany
- (6) Manufacturing facility: **Lorenz Hasenbach GmbH & Co. KG**
Dieselstraße 12, 65520 Bad Camberg, Germany
- (7) Risk category: **III**
- (8) The design and construction of this personal protective equipment and any acceptable variation thereto are specified in the appendix to this EU type-examination certificate.
- (9) The certification body of DEKRA Testing and Certification GmbH, Notified Body No. 0158 according to Chapter V of Regulation (EU) 2016/425 of 9 March 2016, certifies that this personal protective equipment has been found to comply with the essential Health and Safety Requirements given in Annex II to the Regulation. The evaluation results are recorded in report PB 19-179_Rev.02. Other possibly applicable Union legislations applicable to the specified personal protective equipment have not been taken into account in this EU-type examination certificate.
- (10) The essential Health and Safety Requirements are assured in consideration of
DIN EN 353-1:2018
- (11) This EU type-examination certificate relates only to the design, examination and tests of the specified personal protective equipment in accordance to Regulation (EU) 2016/425. For category III personal protective equipment, this EU type-examination certificate may only be used in conjunction with one of the conformity assessment procedures referred to Article 19 (c).
- (12) When applying the CE Marking according to Article 16 and 17 of Regulation (EU) 2016/425 to the products that conform to the types examined, the client is obliged to add, in accordance with the attached pattern, the identification number of the Notified Body engaged in the conformity assessment according to Module C2 or D.
Furthermore, the manufacturer is obliged to issue an EU declaration of conformity in accordance with Article 15 of Regulation (EU) 2016/425 and to enclose it with the personal protective equipment, or to indicate the Internet address in the manual and in the instructions in Annex II, point 1.4., at which the EU declaration of conformity can be accessed.
- (13) This EU-Type Examination Certificate is valid until 2024-07-16.

DEKRA Testing and Certification GmbH
Bochum, 2019-07-17

Signed: Kilisch
Managing director

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

Managing director

TRANSLATION

- (14) Appendix to
- (15) **EU-Type Examination Certificate**
ZP/B160/19 R2
- (16) 16.1 Subject and type
Guided-type fall arrester including a rigid anchor line
Type: HACA-Fallschutz

16.2 Description

The guided type fall arresters including a rigid anchor line, type: HACA-Fallschutz consist of the guided type fall arresters type: 0529.6001, type: 0529.74, type: 0529.7430, type: 0529.7450 and type: 0529.80 and rigid anchor lines made of steel or aluminum.

An energy-absorbing component is attached as an absorber to the guided type fall arrester. The absorber is integrated in the connector or is attached separately to the fall arrester. The connector serves for mounting at the eyelet of a safety harness.



The rigid anchor lines consist of corrosion-resistant or galvanized steel as well as aluminum. The upper end securing of the rigid anchor line can optionally be welded or screwed. At the lower end of the rigid anchor line there is a screwed locking device against unintended overrunning. Via the locking device the user can remove the guided type fall arrester. The rigid anchor line of the guided type fall arrester is exclusively intended for vertical arrangement.

Guided type fall arrester Type no.	Rigid anchor line (Ladder / Rail) Article no.	User weight
0529.6001	0529.66 Fall protection rail, steel perforated 0529.62 Fall protection rail, steel unperforated 5442.03 Single stile ladder, steel	min. 50 kg
	0929.66 Fall protection rail, stainless steel perforated 0929.62 Fall protection rail, stainless steel unperforated 9442.03 Single stile ladder, stainless steel	
	0629.66 Fall protection rail, aluminum perforated 0629.62 Fall protection rail, aluminum unperforated 6442 mobile single stile ladder	max. 150 kg
0529.74, 0529.7430, 0529.7450 and 0529.80	0529.66 Fall protection rail, steel perforated 0529.62 Fall protection rail, steel unperforated 5442.03 Single stile ladder, steel	min. 40 kg
	0929.66 Fall protection rail, stainless steel perforated 0929.62 Fall protection rail, stainless steel unperforated 9442.03 Single stile ladder, stainless steel	
	00629.66 Fall protection rail, aluminum perforated 0629.62 Fall protection rail, aluminum unperforated 6442 mobile single stile ladder	
	0630.66 Fall protection rail, aluminum VarioRail	max. 150 kg
	6433 / 6434 Single stile ladder with load restraints Aluminum / Anodized Aluminum	
	6437 / 6438 Single stile ladder with continuous load restraint Aluminum / Anodized Aluminum	



TRANSLATION



Pic. 1-2: Guided type fall arrester type: 0529.74 and type: 0529.7430



Pic. 3-4: Guided type fall arrester type: 0529.7450



Pic. 5-6: Guided type fall arrester type: 0529.6001



Pic. 7: Guided type fall arrester type: 0529.80

(17) Report